

# CertkingdomPDF

FREE SHIPPING 15% OFF

Discount Code: Off15sale

## WELCOME USE TEST ENGINE

Instantly download certkingdom pdf study torrent for successfully pass

Input your exam code ...



Our certkingdom pdf dumps are the best exam preparation study material for all of you. You can try three different versions of certkingdom free download demo and do your decision. Our exam pdf training can boost your personal ability for 100% pass.

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.



Select a vendor... ▾

Select an exam... ▾

Your email address

Download



HAPPY CUSTOMERS

58281



DOWNLOADS

58281



TEAM MEMBERS

58281



SHARES

58281

<http://www.certkingdompdf.com>

Instantly download certkingdom pdf study torrent for successfully pass

**Exam :** C2090-011

**Title :** IBM SPSS Statistics Level 1 v2

**Vendors :** IBM

**Version :** DEMO

NO.1 With IBM SPSS Statistics you can assign one of three levels of measurement to a variable. Which

is the correct list of all three levels?

- A. Nominal - Ordinal - Interval
- B. Categorical - Interval - Ratio
- C. Nominal - Ordinal - Scale
- D. Nominal - Interval – Scale

Answer: C

NO.2 If you request an aggregated dataset or data file in the Aggregate procedure, the number of cases

in the new aggregated file is equal to what?

- A. Number of cases in the original data file
- B. Number of aggregated summary variables
- C. Number of categories of the variables specified in the Break Variables list
- D. Number of cases that you specified in the Aggregate Data dialog box

Answer: C

NO.3 In the Aggregate data procedure<sup>1</sup> if you specify more than one Break Variable, \_\_\_\_\_ in the

Break Variables list will determine case order.

- A. Variable size
- B. Variable label
- C. Variable name
- D. Variable order

Answer: D

NO.4 If you use the IBM SPSS Statistics Select Cases dialog to conduct analysis on a subset of cases and you want to keep all cases in the same dataset, which option is appropriate?

- A. Copy unselected cases to a new dataset
- B. Copy selected cases to a new dataset
- C. Delete unselected cases
- D. Filter out unselected cases

Answer: D

NO.5 What type of graph would you use to see the distribution of a scale variable?

- A. Bar chart
- B. Pie chart
- C. Histogram
- D. Scatter plot

Answer: C

NO.6 In the output of the CROSSTABS procedure, large residuals indicate agreement between the data

and the null hypothesis of independence.

- A. True
- B. False

Answer: B

NO.7 When you read data stored in an Excel file via File ... Open ... Data, you may need to specify which options? (Choose three.)

- A. Read variable names from the first row of data
- B. Read a Range of cells
- C. Specify the Worksheet to read/import
- D. Number of Worksheets to read/import

Answer: A,B,C